



Human Beta Nerve Growth Factor

Procedures.

1. Standard preparation.
2. In the Micro Elisa strip plate, leave a well empty as blank control. Add 50 up standard in standard wells. In sample wells 40ul Sample and 10ul antibody, then add 50ul streptavidin - HRP to samples and standards wells.
3. Incubation: incubate 60 min at 37C after sealed with Closure plate membrane.
4. Dilution: dilute the concentrated washing buffer with distilled water (25 times).
5. Washing: carefully peel off Closure plate membrane, aspirate and refill with the wash solution. Discard the wash solution after resting for 30 seconds. Repeat the washing procedure 5 times.
6. Coloring: Add 50 ul Chromogen Solution A and 50 ul Chromogen Solution B to each well, mix gently shaking and incubate at 37C for 15 minutes. Please avoid light during coloring
7. Termination: add 50 μ l stop solution to each well to terminate the reaction. The color in the well should change from blue to yellow.
8. Read absorbance O.D. at 450nm using a Micro titer Plate Reader. The OD value of the blank control well is set as zero. Assay should be carried out within 15 minutes after adding stop solution.





Human Beta Nerve Growth Factor curve

Standard	Absorbance	Concentration ng/L
S1	0.010	0
S2	0.274	75
S3	0.342	150
S4	0.533	300
S5	0.771	600
S6	1.079	1200





Human Brain -derived neurotrophic Factor

Procedures.

1. Standard preparation.
2. In the Micro Elisa strip plate, leave a well empty as blank control. Add 50 up standard in standard wells. In sample wells 40ul Sample and 10ul antibody, then add 50ul streptavidin - HRP to samples and standards wells.
3. Incubation: incubate 60 min at 37C after sealed with Closure plate membrane.
4. Dilution: dilute the concentrated washing buffer with distilled water (25 times).
5. Washing: carefully peel off Closure plate membrane, aspirate and refill with the wash solution. Discard the wash solution after resting for 30 seconds. Repeat the washing procedure for 5 times.
6. Coloring: Add 50 ul Chromogen Solution A and 50 ul Chromogen Solution B to each well, mix with gently shaking and incubate at 37C for 15 minutes. Please avoid light during coloring
7. Termination: add 50 μ l stop solution to each well to terminate the reaction. The color in the well should change from blue to yellow.
8. Read absorbance O.D. at 450nm using a Micro titer Plate Reader. The OD value of the blank control well is set as zero. Assay should be carried out within 15 minutes after adding stop solution.





Human Brain -derived neurotrophic Factor curve

Standard	Absorbance	Concentration ng/mL
S1	0.017	0
S2	0.229	0.4
S3	0.326	0.8
S4	0.442	1.6
S5	0.584	3.2
S6	0.698	6.4





Patient Name:	N.T.A			
Referred By:				
Patient Number	Age	Sex	Visit Date	Report Date
202306	52 Years	M	4/9/2024	29/9/2024

Test Name: **Human Beta Nerve Growth Factor**

Sample Type: Blood Sample/Plasma

Sample Technique: **Fully Automated ELISA Reader**

Results:

1530

Adults
Ref. Range
10-2000 ng/L

Signature

Dr/ Ahmed Salim



SCAN ME





Patient Name:	N.T.A			
Referred By:				
Patient Number	Age	Sex	Visit Date	Report Date
202306	52 Years	M	4/9/2024	29/9/2024

Test Name: **Human Brain derived neurotrophic factor.**

Sample Type: Blood Sample/Plasma

Sample Technique: **Fully Automated ELISA Reader**

Results:

6.03

Adults

Ref. Range

0.05-10 ng/ml

Signature

Dr. Ahmed Salem





Patient Name:	H.A.J			
Referred By:				
Patient Number	Age	Sex	Visit Date	Report Date
202306	44 Years	M	4/9/2024	29/9/2024

Test Name: **Human Beta Nerve Growth Factor**

Sample Type: Blood Sample/Plasma

Sample Technique: **Fully Automated ELISA Reader**

Results:

1312

Adults
Ref. Range
10-2000 ng/L

Signature

Dr/ Ahmed Salwa



SCAN ME





Patient Name:	H.A.J			
Referred By:				
Patient Number	Age	Sex	Visit Date	Report Date
202306	44 Years	M	4/9/2024	29/9/2024

Test Name: **Human Brain derived neurotrophic factor.**

Sample Type: Blood Sample/Plasma

Sample Technique: **Fully Automated ELISA Reader**

Results:

4.93

Adults
Ref. Range
0.05 -10 ng/ml

Signature

Dr/ Ahmed Salim



SCAN ME

